





 <p><b>Beta 57A</b></p> 	 <p><b>Beta 58A</b></p> 	 <p><b>Beta 87</b></p> 	 <p><b>PG48</b></p> 	 <p><b>PG58</b></p> 
<p>USD:17</p>	<p>USD:17</p>	<p>USD:48</p>	<p>USD:10</p>	<p>USD:10</p>
 <p><b>SM57</b></p> 	 <p><b>SM58</b></p> 	 <p><b>SM58</b></p> 	 <p><b>e822II-S</b></p> 	 <p><b>e845 S</b></p> 
<p>USD:11</p>	<p>USD:10</p>	<p>switch:10</p>	<p>USD:13</p>	<p>USD:14</p>
 <p><b>D660S</b></p> 	 <p><b>铁三角 话筒 xm5s</b></p>	 <p><b>M70S</b></p> 	 <p><b>M90S</b></p> 	 <p><b>M60S</b></p> 

USD:16	USD:15	USD:13	USD:14	USD:12
 <p>e828 S</p>			 <p>SHURE PGDMK6 Dynamic Kit Drum Microphone System Include: 1 pcs PG52, 3 pcs PG56, 2 pcs PG81, 3 pcs A50D Drum stand and 1 pcs case</p>	
USD:13			USD:225/kit	

 <p>eW100</p>	 <p>eW122G2</p>
EW100 USD:96	EW122G2 USD:122
 <p>eW135G2</p>	
EW135G2 USD:119	EW322G2 USD:152



EW335G2 USD:145



EW352G2 USD:158



EM3032&KSM5000 USD: 252

eW545



EW545 G2 USD:195

MIPRO123D



MIPRO 123D USD:102

LX88- II




SHURE LX88 USD:63

SLX



SHURE-SLX SM58 USD:99

SLX



SHURE-SLX BETA 58 USD102

 <p><b>PGX4</b> (SM-58)</p>	 <p><b>PGX4</b> (BETA-58)</p>
<p>PGX24/SM58      <b>USD:93</b></p>	<p>PGX24/BETA58      <b>USD: 97</b></p>
	 <p><b>PGX4</b> (WL93)</p>
<p>PGX24 PG58      <b>USD: 90</b></p>	<p>SHURE-PGX14      <b>USD:98</b></p>
	
<p>EM3031&amp;KSM5000      <b>USD:176</b></p>	<p>audio-technica      MX-351 <b>USD: 145</b></p>
	
<p>CL-MX900      6      <b>USD:198</b></p>	<p>ICON    SCM-821      8      <b>USD:215</b></p>



SHURE MX412D/C MX418D/C

USD:75



SHURE PG-88 USD: 155



PEAVEY PV14 USD 220



PEAVEY PV10 USD 180



PEAVEY PV8 USD 126



Soundcraft M8 USD:325




Soundcraft M12 USD:349



Soundcraft EFX8 USD:215



Soundcraft EFX12 USD:238



Soundcraft MPM12/2 USD:295



Soundcraft EPM8 USD:170




Soundcraft EPM12 USD:218



Soundcraft MPM20/2 USD:338



YAMAHA MG124CX USD:199



YAMAHA MG16/6FX USD:209



YAMAHA MG166CX USD:242



YAMAHA MG82CX USD:125



YAMAHA MG166CX-USD USD: 265



YAMAHA MG166C USD:238




YAMAHA MG124C USD:196



YAMAHA MG102C USD:108



YAMAHA MG24/14FX USD:540



YAMAHA MG32/14FX USD:615



BEHRINGER XENYX 1204FX USD: 160



BEHRINGER XENYX 1622FX USD:205



BEHRINGER XENYX 1832FX USD:228



BEHRINGER XENYX 2222FX USD:249



BEHRINGER XENYX 2442FX USD:276



Soundcraft FX16 II USD:390



BEHRINGER XENYX 1222FX USD:215



声艺 LX9 -16 USD:675



声艺 LX9/24. 强势推出. 更多好产品尽在新动力

LX9 -24 USD:890



LX9 -32 USD:1055



MFX8/2 USD: 275



MFX12/2 USD:318



MFX 20/2 USD:400



ASHLY USD:269



BBE 882i USD; 108



XTA GQ600 USD: 278



MARTIN-AUDIO M3 USD: 219



DBX 2231 USD: 148



DBX 1231 USD;95



DBX 231 USD:80

DOD 231 USD:80



DBX 215 USD:60



DBX 266XL USD:80



DBX 166XL USD:98



DBX 234 USD:70



DBX 223 USD:60



YAMAHA REV100 USD:86



T.C. M350 USD:160



FBX2420 USD:215



YAMAHA Q2031B USD:147



BSS FCS966 USD:180



DBX PA USD:265



ASHLY USD:355



MA-600 8 Ω 250W\*2 USD:198



MA-1200 8 Ω 350W\*2 USD:258



MA-2400 8 Ω 500W\*2 USD:323



MA3600Vz 8 Ω 1000W\*2 USD:509

MA5000Vz 8 Ω 1200W\*2 USD:560



MA-3600 8 Ω 600W\*2 USD:418

MA-5002VZ(3U) 8 Ω 800W\*2 USD:458



CE2000 8 Ω 450W\*2 USD:389

CE3000 8 Ω 650W\*2 USD:418



XLS 202 200W USD: 168

LPS800 200W USD:170

XLS 402 300W USD:205



LPS1500 350W USD:205

XLS602 400W USD: 243

LPS2500 450W USD:245

XLS 802 600W USD: 263



<p>CA12    850W    <b>USD:448</b></p>	<p>CA18    1150W    <b>USD:488</b></p>
	
<p>CA20    1350W    <b>USD; 568</b></p>	<p>CA9 580W    <b>USD: 379</b> CA6 450W    <b>USD: 310</b></p>
	
<p>CA-18    8 Ω    1200W*2    <b>USD: 460</b> CA-20    8 Ω    1300W*2    <b>USD: 498</b></p>	<p>CA-12    8 Ω    800W*2    <b>USD: 438</b></p>
	
<p>CA-9    8 Ω    520W*2    <b>USD: 354</b></p>	<p>CA-6    8 Ω    400W*2    <b>USD: 310</b></p>
	
<p>PEAVEY :PV-900    350W*2    <b>USD: 235</b></p>	<p>PEAVEY :PV-1500    500W*2    <b>USD: 258</b></p>
	
<p>PEAVEY :PV-2600    600W*2    <b>USD: 308</b></p>	



PEAVEY :CS-1400      250W\*2      **USD: 162**  
 PEAVEY :CS-2000      350W\*2      **USD: 179**  
 PEAVEY:CS-3000      500W\*2      **USD: 222**  
 PEAVEY:CS-4000      600W\*2      **USD; 243**



**QSC:** RMX1450      350W\*2      **USD: 205**

**QSC:** RMX1850HD      450W\*2      **USD: 243**



**QSC:** RMX3050      600W\*2      **USD: 280**

**QSC:** RMX4050      800W\*2      **USD;345**



New, stable, high simulation. Large handle, aluminum angle code, patches, features, and Original as high strength. 3U steel chassis

**QSC:** RMX5050      1000W\*2      **USD:398**



**LAX MA5200**      **USD:276**

**LAX MA7200**      **USD:345**




**LAX MA8200**      **USD:445**

**LAX MA9200**      **USD:510**



**YAMAHA P2500S**      8 Ω      250W\*2

**YAMAHA P3500S**      8 Ω      350W\*2

USD:157	USD:173
	
YAMAHA P5000S 8 Ω 500W*2 USD; 216	YAMAHA P7000S 8 Ω 700W*2 USD: 237
	
YAMAHA XP2500S 8 Ω 250W*2 USD;155	YAMAHA XP3500S 8 Ω 350W*2 USD:174
	
YAMAHA XP5000S 8 Ω 500W*2 USD; 220	YAMAHA XP7000S 700W*2 <del>700W*</del> USD:241
	P5500S 250W USD 172 P6500S 350W USD 194 P7500S 500W USD 236 P8500S 600W USD 265 P9000S 800W USD 323 P9500S 1000W USD 388



JBL MRX 512

**JBL** Coolest and the best surface treatment

Plywood with the best. Original JBL Anti-burning twin-tube 12" 2 Frequency 450W/8 Ω

Full-frequency speakers

High pitch: 44 芯 120 magnetic

Bass: : 65 芯 170 magnetic Aluminum framer

USD: 448/pair



JBL MRX515

**JBL** Coolest and the best surface treatment

Plywood with the best. Original JBL Anti-burning twin-tube 15" 2 Frequency 800W/8 Ω

Full-frequency speakers

High pitch: 72 芯 180 magnetic

Bass: : 100 芯 220 magnetic Aluminum framer

USD;598/pair



JBL MRX525

**JBL** Coolest and the best surface treatment

Plywood with the best. Original JBL Anti-burning twin-tube Double 15" 2 Frequency 1200W/4 Ω

Full-frequency speakers

High pitch: 72 芯 180 magnetic

Bass: : 100 芯 220 magnetic Aluminum framer

USD:698/pair



JBL MRX518S

**JBL** Coolest and the best surface treatment  
 Plywood with the best. Original JBL Anti-burning twin-tube 18" 1000W/8 Ω Ultra-low frequency speaker  
 Bass: : 100 芯 220 magnetic Aluminum framer  
 USD; 598/pair



JBL MRX528S

**JBL** Coolest and the best surface treatment  
 Plywood with the best. Original JBL Anti-burning twin-tube Double 18" 1000W/4 Ω Ultra-low frequency speaker  
 Bass: : 100 芯 220 magnetic Aluminum framer  
 USD;888/pair



JBL SRX712M

**JBL** Coolest and the best surface treatment  
 Plywood with the best. Original JBL Anti-burning twin-tube 12" 2 Frequency 450W/8 Ω Full-frequency speakers  
 High pitch: 44 芯 120 magnetic  
 Bass: : 75 芯 190 magnetic Aluminum framer  
 USD: 498/pair



JBL SRX715

**JBL** Coolest and the best surface treatment

Plywood with the best Original JBL Anti-burning twin-tube 15" 2 Frequency 800W/8 Ω

Full-frequency speakers

High pitch: 72 芯 180 magnetic

Bass: : 100 芯 220 magnetic Aluminum framer

USD: 618/pair



JBL SRX725

**JBL** Coolest and the best surface treatment

Plywood with the best. Original JBL Anti-burning twin-tube Double 15" 2 Frequency 1100W/4 Ω

Full-frequency speakers

High pitch: 72 芯 180 magnetic

Bass: : 100 芯 220 magnetic Aluminum framer

USD: 738/pair



JBL SRX718


**JBL** Coolest and the best surface treatment

Plywood with the best. Original JBL Anti-burning twin-tube 18" 800W/8 Ω Ultra-low frequency

speaker

Bass: : 100 芯 220 magnetic Aluminum framer

USD: 668/pair



JBL SRX728

**JBL**  
**Coolest and the best surface treatment**  
 Plywood with the best. Original JBL Anti-burning twin-tube  
 Double 18" 1600W/4 Ω Ultra-low  
 frequency speaker  
 Bass: : 100 芯 220 magnetic Aluminum  
 framer  
 USD: 1038/pair



JBL JRX112

**JBL**  
 Production of high-density compression plate.. Original JBL  
 twin-tube protection against burning Bass: 50 芯 140  
 magnetic, Mid High pitch 34 芯 100 magnetic. 12" 2  
 Frequency 250W8 Ω Speakers  
 Bass: 50 芯 φ 140 magnetic, High pitch φ 34  
 芯 100 magnetic  
 USD; 298/pair



JBL JRX115

**JBL**  
 Production of high-density compression plate.. Original JBL  
 Anti-burning twin-tube Bass: 65 芯 170 magnetic, Mid High  
 pitch 44 芯 120 magnetic 15" 2 Frequency 500W8 Ω  
 Full-frequency speakers  
 USD: 338/pair



JBL JRX125



Production of high-density compression plate.. Original JBL twin-tube protection against burning Bass: 65 芯 170 magnetic, Mid High pitch44 芯 120 magnetic **Double 15” 2 Frequency 700W4 Ω Full-frequency speakers**

**USD: 498/pair**



JBL JRX118



Production of high-density compression plate.Original JBL twin-tube protection against burning Bass: 100 芯 220 magnetic**18” 700W8 Ω Ultra-low frequency speaker**

**USD: 498/pair**



JBL MDD212



Production of high-density compression plate. Original JBL twin-tube protection against burning Bass: 50 芯 140 magnetic,中 High pitch34 芯 100 magnetic**12” 250W8 Ω 返送音箱**

**USD: 338/pair**



JBL MDD215



Production of high-density compression plate. Original JBL twin-tube protection against burning Bass: 65 芯 170 magnetic, Mid High pitch44 芯 120 magnetic **15” 500W8 Ω Full-frequency speakers**

**USD: 388/pair**



JBL MDD225



Production of high-density compression plate. Original JBL twin-tube protection against burning Bass: 65 芯 170 magnetic, Mid High pitch 44 芯 120 magnetic **Double**

15" 800W4 Ω Full-frequency speakers

USD: 528/pair



JBL MDD218



Production of high-density compression plate. Original JBL twin-tube protection against burning Bass: 1000 芯 220 magnetic, 18" 700W8 Ω Ultra-low frequency speaker

USD: 595/pair



YAMAHA A10



Production of high-density compression plate. Two Bass: reflective

Bass: 40 芯 φ 126 magnetic, High pitch φ 25 芯 80 magnetic power: PGM Rated: 250W

Nominal Impedance: 8Ω

USD: 182/pair



YAMAHA A12



Production of high-density compression plate. Two Bass: reflective

Bass: 50 芯 φ 140 magnetic, High pitch φ 35 芯 80 magnetic power: PGM Rated: 350W

Nominal Impedance: 8Ω

USD: 238/pair



YAMAHA A15



Production of high-density compression plate. Two Bass: reflective

Bass: 65 芯  $\phi$  156 magnetic, High pitch  $\phi$  35 芯 100 magnetic power: PGM Rated: 500W  
Nominal Impedance: 8 $\Omega$

USD: 299/pair



YAMAHA S-112V



Production of high-density compression plate. Two Bass: reflective

Bass: 50 芯  $\phi$  140 magnetic, High pitch  $\phi$  35 芯 100 magnetic power: PGM Rated: 400W  
Nominal Impedance: 8 $\Omega$

USD: 283/pair



YAMAHA S-115V



Production of high-density compression plate. Two Bass: reflective

power : PGM Rated : 500W Nominal Impedance: 8 $\Omega$

Bass: : 75 芯  $\phi$  190 magnetic, High pitch  $\phi$  44 芯 120 magnetic

USD: 389/pair



YAMAHA S-215V



Production of high-density compression plate. Two Bass: reflective

power : PGM Rated : 800W Nominal Impedance: 4 $\Omega$

Bass: : 75 芯  $\phi$  190 magnetic, High pitch  $\phi$  44 芯 120 magnetic

USD: 529/pair



YAMAHA R112C



Production of high-density compression plate. Two Bass: reflective

Bass: 50 芯  $\phi$  140 magnetic, High pitch  $\phi$  35 芯 100 magnetic power: PGM Rated: 400W

Nominal Impedance: 8 $\Omega$

USD: 342/pair



YAMAHA R115C



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯  $\phi$  190 magnetic, High pitch  $\phi$  44 芯 120 magnetic power: PGM Rated: 500W

Nominal Impedance: 8 $\Omega$

USD:395/pair



YAMAHA R215C



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯  $\phi$  190 magnetic, High pitch  $\phi$  44 芯 120 magnetic power: PGM Rated: 1000W

Nominal Impedance: 4 $\Omega$

USD:528/pair



YAMAHA R118WC



Production of high-density compression plate. Two Bass: reflective

Bass: 100 芯  $\phi$  220 magnetic, power: PGM Rated: 1000W Nominal Impedance: 8 $\Omega$

USD:528/pair



YAMAHA C112V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯  $\phi$  190 magnetic, High pitch  $\phi$  44 芯 120 magnetic power: PGM Rated: 450W

Nominal Impedance: 8 $\Omega$

Coolest and the best surface treatment

USD:394/pair



YAMAHA C115V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯  $\phi$  190 magnetic, High pitch  $\phi$  44 芯 140 magnetic power: PGM Rated: 500W

Nominal Impedance: 8 $\Omega$

Coolest and the best surface treatment

USD:498/pair



YAMAHA C215V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯  $\phi$  190 magnetic, High pitch  $\phi$  72 芯 180 magnetic power: PGM Rated: 1000W

Nominal Impedance: 4 $\Omega$

Coolest and the best surface treatment

USD:798/pair



YAMAHA CM12V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯  $\phi$  190 magnetic, High pitch  $\phi$  44 芯 120 magnetic power: PGM Rated: 450W

Nominal Impedance: 8 $\Omega$

Coolest and the best surface treatment

USD:362/pair



YAMAHA CM15V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯  $\phi$  190 magnetic, High pitch  $\phi$  44 芯 120 magnetic power: PGM Rated: 500W

Nominal Impedance: 8 $\Omega$

Coolest and the best surface treatment

USD:469/pair



YAMAHA CW118V



Production of high-density compression plate. Two Bass: reflective

Bass: 100 芯  $\phi$  220 magnetic power: PGM Rated: 600W Nominal Impedance: 8 $\Omega$

Coolest and the best surface treatment

USD:575/pair



PEAVEY SP2



Plywood with the best. Single 15 Professional full-frequency speakers

power : PGM Rated : 500W Nominal

Impedance: 8Ω

USD:499/pair



PEAVEY SP3



USD:569/pair



PEAVEY SP4



Plywood with the best Double 15 Professional full-frequency speakers

power : PGM Rated : 1000W Nominal

Impedance: 4Ω

USD:600/pair



PEAVEY SP6



USD:757/pair



PEAVEY SP15M



USD:421/pair



PEAVEY SP118



Plywood with the best 单 15 Professional full-frequency speakers

power : PGM Rated : 500W Nominal

Impedance: 8Ω

USD:485/pair



PEAVEY SP218



Plywood with the best Double 15 Professional full-frequency speakers

power : PGM Rated : 1200W Nominal

Impedance: 4Ω

USD:842/pair



PEAVEY QW4



USD:757/pair



PEAVEY QW2



USD:569 /pair



PEAVEY QW-MR/M



USD:421 /pair



BMB sc450



Production of high-density compression plate. 10inch  
Double High pitch 卡包箱  
power : PGM Rated : 180W Nominal  
Impedance: 8Ω

USD:112 /pair



BMB sc455



Production of high-density compression plate. 10inch  
Double High pitch 卡包箱  
power : PGM Rated : 180W Nominal  
Impedance: 8Ω

USD:123/pair



BMB 800



Production of high-density compression plate. 10inch  
Double High pitch 卡包箱  
power : PGM Rated : 180W Nominal  
Impedance: 8Ω

USD:145/pair



BMB 850



Production of high-density compression plate. 10inch 四  
High pitch 卡包箱

power : PGM Rated : 180W Nominal  
Impedance: 8Ω

USD: 128 /pair



YAMAHA KS-25



Production of high-density compression plate. 10inch  
Double High pitch 卡包箱

power : PGM Rated : 180W Nominal  
Impedance: 8Ω

USD: 128/pair



JBL KHM-10



Production of high-density compression plate. 10inch  
Double High pitch 卡包箱

power : PGM Rated : 180W Nominal  
Impedance: 8Ω

USD: 165/pair



JBL RM-10



Production of high-density compression plate. 10inch  
Double High pitch 卡包箱

power : PGM Rated : 180W Nominal  
Impedance: 8Ω

USD;199/pair

301

五

代

BOSE 301 Fifth



Production of high-density compression plate. 10inch  
Double High pitch 卡包箱

power : PGM Rated : 180W Nominal  
Impedance: 8Ω

USD;199/pair



301 四代

### BOSE 301 Fourth

Production of high-density compression plate. 10inch Double High pitch 卡包箱

power : PGM Rated : 180W Nominal

Impedance: 8Ω

USD:162/pair



402 A

### BOSE 402 A

USD;305/pair



502 A

### BOSE 502 A

USD:325/pair




JBL Professional conference speakers, outdoor speaker broadcasting **Control25**

Power: 75W

It's Èr half frequency, from a 5.25-inch woofer and a scattering angle with 3/4 inch tweeter composition

USD: 269/pair



JBL Professional conference speakers, outdoor speaker  
broadcasting **Control28**

Power: 85W

It's Èr half frequency, from a 8-inch woofer and a scattering angle with 3/4 inch tweeter composition

USD: 322/pair